

NOTICE RE: CERTIFICATES OF CORRECTION

DATE : 7-3-03

Paper No.: 11

TO : Supervisor, Art Unit 1724

SUBJECT : Certificate of Correction Request in Patent No.: 6214224

A response to the following question is requested with respect to the accompanying request for a certificate of correction.

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

PLEASE COMPLETE THIS FORM AND
RETURN WITH FILE, WITHIN 7 DAYS,
TO CERTIFICATES OF CORRECTION BRANCH - PK 3-915/922
PALM LOCATION 7580 - TEL. NO. 305-8309

E. Jones
Reconsideration

THANK YOU FOR YOUR ASSISTANCE!

Note your decision by placing a check mark in the appropriate box below, indicating whether all changes requested in the Request for Certificate of Correction should be applied. Please specify which changes should not be applied and indicate the reason(s) for denial, in the "Comments" section below.

☐ YES

☒ NO

☒ Comments: The request to delete "a" and insert "the
shower filter comprising" in claims 1, 11 and 16, instead of
inserting this term before "a" in these claims (as in the
original request), would result in claims which are not
grammatically correct. Also, deleting "therein" from
Claim 1 would appear to broaden the scope of
this claim.

BLAINE ~~OPPENHEIMER~~
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 4700

1724 Art Unit